



# TRAVEL SAFE GUIDELINES

2 March 2021

Version 1.0

## About HTNG

Hospitality Technology Next Generation (HTNG) is a non-profit association with a mission to foster, through collaboration and partnership, the development of next-generation systems and solutions that will enable hoteliers and their technology vendors to do business globally in the 21st century. HTNG is recognized as the leading voice of the global hotel community, articulating the technology requirements of hotel companies of all sizes to the vendor community. HTNG facilitate the development of technology models for hospitality that will foster innovation, improve the guest experience, increase the effectiveness and efficiency of hotels, and create a healthy ecosystem of technology suppliers.

## Copyright 2021, Hospitality Technology Next Generation

### All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior permission of the copyright owner.

For any software code contained within this specification, permission is hereby granted, free-of-charge, to any person obtaining a copy of this specification (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the above copyright notice and this permission notice being included in all copies or substantial portions of the Software.

Manufacturers and software providers shall not claim compliance with portions of the requirements of any HTNG specification or standard, and shall not use the HTNG name or the name of the specification or standard in any statements about their respective product(s) unless the product(s) is (are) certified as compliant to the specification or standard.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES, OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF, OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Permission is granted for implementers to use the names, labels, etc. contained within the specification. The intent of publication of the specification is to encourage implementations of the specification.

This specification has not been verified for avoidance of possible third-party proprietary rights. In implementing this specification, usual procedures to ensure the respect of possible third-party intellectual property rights should be followed. Visit <http://htng.org/ip-claims> to view third-party claims that have been disclosed to HTNG. HTNG offers no opinion as to whether claims listed on this site may apply to portions of this specification.

The names Hospitality Technology Next Generation and HTNG, and logos depicting these names, are trademarks of Hospitality Technology Next Generation. Permission is granted for implementers to use the aforementioned names in technical documentation for the purpose of acknowledging the copyright and including the notice required above. All other use of the aforementioned names and logos requires the permission of Hospitality Technology Next Generation, either in written form or as explicitly permitted for the organization's members through the current terms and conditions of membership.

## TABLE OF CONTENTS

<b>1</b>	<b>THIS DOCUMENT AT A GLANCE.....</b>	<b>8</b>
<b>2</b>	<b>DOCUMENT INFORMATION .....</b>	<b>9</b>
2.1	DOCUMENT HISTORY.....	9
2.2	DOCUMENT PURPOSE.....	9
2.3	SCOPE .....	9
2.4	USEFUL RESOURCES .....	10
2.5	AUDIENCE.....	10
2.6	OVERVIEW .....	10
<b>3</b>	<b>PRE-ARRIVAL CONSIDERATIONS FOR NEW PROTOCOLS .....</b>	<b>12</b>
3.1	CLEANING PROTOCOLS .....	12
3.2	CHECK-IN/CHECK-OUT .....	12
3.3	TEMPORARY CLOSURE OF FACILITIES AND SERVICES .....	12
3.4	HOUSEKEEPING.....	12
<b>4</b>	<b>CODE AMENDMENTS.....</b>	<b>13</b>
4.1	HAC – HOTEL AMENITY CODE .....	13
4.1.1	<i>Code Additions .....</i>	13
4.1.2	<i>Existing Relevant Codes.....</i>	14
4.2	MRC – MEETING ROOM CODE .....	15
4.2.1	<i>Code Additions .....</i>	15
4.2.2	<i>Existing Relevant Codes.....</i>	16
4.3	OTC – OPTION TYPE CODE.....	16
4.3.1	<i>Code Additions .....</i>	16
4.3.2	<i>Existing Relevant Codes.....</i>	16
4.4	REC – RECREATION SERVICE DETAIL CODE.....	16
4.4.1	<i>Code Additions .....</i>	16
4.4.2	<i>Existing Relevant Codes.....</i>	17
4.5	RMA – ROOM AMENITY CODE.....	17
4.5.1	<i>Code Additions .....</i>	17
4.5.2	<i>Existing Relevant Codes.....</i>	18
4.6	RSI – RESTAURANT SERVICE INFO.....	18
4.6.1	<i>Code Additions .....</i>	18
4.6.2	<i>Existing Relevant Codes.....</i>	18
4.7	SEC – SECURITY FEATURE CODE.....	19
4.7.1	<i>Code Additions .....</i>	19
4.7.2	<i>Existing Relevant Codes.....</i>	21
<b>5</b>	<b>MESSAGES.....</b>	<b>22</b>
5.1	OTA_HOTELDESCRIPTIVECONTENTNOTIFRQ .....	22
5.1.1	<i>HAC – Hotel Amenity Code List .....</i>	22
5.1.2	<i>MRC – Meeting Room Code List .....</i>	22

5.1.3	<i>OTC – Option Type Code List</i> .....	22
5.1.4	<i>REC – Recreation Service Detail List</i> .....	23
5.1.5	<i>RMA – Room Amenity Code List</i> .....	23
5.1.6	<i>RSI – Restaurant Service Info List</i> .....	23
5.1.7	<i>SEC – Security Feature List</i> .....	23
5.2	<b>OTA_HOTELDESCRIPTIVEINFO</b> .....	24
5.2.1	<i>HAC – Hotel Amenity Code List</i> .....	24
5.2.2	<i>MRC – Meeting Room Code List</i> .....	24
5.2.3	<i>OTC – Option Type Code List</i> .....	24
5.2.4	<i>REC – Recreation Service Detail List</i> .....	25
5.2.5	<i>RMA – Room Amenity Code List</i> .....	25
5.2.6	<i>RSI – Restaurant Service Info List</i> .....	25
5.2.7	<i>SEC – Security Feature List</i> .....	25
5.3	<b>OTA_HOTELAVAILRQ</b> .....	25
5.3.1	<i>HAC – Hotel Amenity Code List</i> .....	25
5.3.2	<i>MRC – Meeting Room Code List</i> .....	25
5.3.3	<i>OTC – Option Type Code List</i> .....	26
5.3.4	<i>REC – Recreation Service Detail List</i> .....	26
5.3.5	<i>RMA – Room Amenity Code List</i> .....	26
5.3.6	<i>RSI – Restaurant Service Info List</i> .....	26
5.3.7	<i>SEC – Security Feature List</i> .....	26
5.4	<b>OTA_HOTELAVAILRS</b> .....	26
5.4.1	<i>HAC – Hotel Amenity Code List</i> .....	26
5.4.2	<i>MRC – Meeting Room Code List</i> .....	27
5.4.3	<i>OTC – Option Type Code List</i> .....	27
5.4.4	<i>REC – Recreation Service Detail List</i> .....	27
5.4.5	<i>RMA – Room Amenity Code List</i> .....	27
5.4.6	<i>RSI – Restaurant Service Info List</i> .....	28
5.4.7	<i>SEC – Security Feature List</i> .....	28
5.5	<b>OTA_HOTELSEARCHRQ</b> .....	28
5.5.1	<i>HAC – Hotel Amenity Code List</i> .....	28
5.5.2	<i>MRC – Meeting Room Code List</i> .....	28
5.5.3	<i>OTC – Option Type Code List</i> .....	28
5.5.4	<i>REC – Recreation Service Detail List</i> .....	28
5.5.5	<i>RMA – Room Amenity Code List</i> .....	28
5.5.6	<i>RSI – Restaurant Service Info List</i> .....	28
5.5.7	<i>SEC – Security Feature List</i> .....	29
5.6	<b>OTA_HOTELSEARCHRS</b> .....	29
5.6.1	<i>HAC – Hotel Amenity Code List</i> .....	29
5.6.2	<i>MRC – Meeting Room Code List</i> .....	29
5.6.3	<i>OTC – Option Type Code List</i> .....	29
5.6.4	<i>REC – Recreation Service Detail List</i> .....	29
5.6.5	<i>RMA – Room Amenity Code List</i> .....	29
5.6.6	<i>RSI – Restaurant Service Info List</i> .....	29

<i>5.6.7 SEC – Security Feature List.....</i>	29
5.7 OTA_HOTELRESRQ.....	30
<i>5.7.1 HAC – Hotel Amenity Code List .....</i>	30
<i>5.7.2 MRC – Meeting Room Code List .....</i>	30
<i>5.7.3 OTC – Option Type Code List.....</i>	30
<i>5.7.4 REC – Recreation Service Detail List.....</i>	31
<i>5.7.5 RMA – Room Amenity Code List.....</i>	31
<i>5.7.6 RSI – Restaurant Service Info List .....</i>	31
<i>5.7.7 SEC – Security Feature List.....</i>	31
5.8 OTA_HOTELRESRS .....	31
<i>5.8.1 HAC – Hotel Amenity Code List .....</i>	31
<i>5.8.2 MRC – Meeting Room Code List .....</i>	32
<i>5.8.3 OTC – Option Type Code List.....</i>	32
<i>5.8.4 REC – Recreation Service Detail List.....</i>	32
<i>5.8.5 RMA – Room Amenity Code List.....</i>	32
<i>5.8.6 RSI – Restaurant Service Info List .....</i>	33
<i>5.8.7 SEC – Security Feature List.....</i>	33
5.9 OTA_HOTELRESNOTIFRQ.....	33
<i>5.9.1 HAC – Hotel Amenity Code List .....</i>	33
<i>5.9.2 MRC – Meeting Room Code List .....</i>	33
<i>5.9.3 OTC – Option Type Code List.....</i>	34
<i>5.9.4 REC – Recreation Service Detail List.....</i>	34
<i>5.9.5 RMA – Room Amenity Code List.....</i>	34
<i>5.9.6 RSI – Restaurant Service Info List .....</i>	34
<i>5.9.7 SEC – Security Feature List.....</i>	35
5.10 OTA_HOTELRESNOTIFRS .....	35
<i>5.10.1 HAC – Hotel Amenity Code List .....</i>	35
<i>5.10.2 MRC – Meeting Room Code List .....</i>	35
<i>5.10.3 OTC – Option Type Code List.....</i>	35
<i>5.10.4 REC – Recreation Service Detail List.....</i>	36
<i>5.10.5 RMA – Room Amenity Code List.....</i>	36
<i>5.10.6 RSI – Restaurant Service Info List .....</i>	36
<i>5.10.7 SEC – Security Feature List.....</i>	36
5.11 OTA_HOTELRESMODIFYRQ .....	36
<i>5.11.1 HAC – Hotel Amenity Code List .....</i>	37
<i>5.11.2 MRC – Meeting Room Code List .....</i>	37
<i>5.11.3 OTC – Option Type Code List.....</i>	37
<i>5.11.4 REC – Recreation Service Detail List.....</i>	38
<i>5.11.5 RMA – Room Amenity Code List.....</i>	38
<i>5.11.6 RSI – Restaurant Service Info List .....</i>	39
<i>5.11.7 SEC – Security Feature List.....</i>	39
5.12 OTA_HOTELRESMODIFYRS .....	39
<i>5.12.1 HAC – Hotel Amenity Code List .....</i>	40
<i>5.12.2 MRC – Meeting Room Code List .....</i>	40

5.12.3	<i>OTC – Option Type Code List</i> .....	40
5.12.4	<i>REC – Recreation Service Detail List</i> .....	41
5.12.5	<i>RMA – Room Amenity Code List</i> .....	41
5.12.6	<i>RSI – Restaurant Service Info List</i> .....	42
5.12.7	<i>SEC – Security Feature List</i> .....	42
5.13	<b>OTA_HOTELRESMODIFYNOTIFRQ</b> .....	43
5.13.1	<i>HAC – Hotel Amenity Code List</i> .....	43
5.13.2	<i>MRC – Meeting Room Code List</i> .....	43
5.13.3	<i>OTC – Option Type Code List</i> .....	44
5.13.4	<i>REC – Recreation Service Detail List</i> .....	44
5.13.5	<i>RMA – Room Amenity Code List</i> .....	45
5.13.6	<i>RSI – Restaurant Service Info List</i> .....	45
5.13.7	<i>SEC – Security Feature List</i> .....	45
5.14	<b>OTA_HOTELRESMODIFYNOTIFRS</b> .....	46
5.14.1	<i>HAC – Hotel Amenity Code List</i> .....	46
5.14.2	<i>MRC – Meeting Room Code List</i> .....	46
5.14.3	<i>OTC – Option Type Code List</i> .....	47
5.14.4	<i>REC – Recreation Service Detail List</i> .....	48
5.14.5	<i>RMA – Room Amenity Code List</i> .....	48
5.14.6	<i>RSI – Restaurant Service Info List</i> .....	48
5.14.7	<i>SEC – Security Feature List</i> .....	49
5.15	<b>OTA_HOTELRFP_MEETINGRQ</b> .....	49
5.15.1	<i>HAC – Hotel Amenity Code List</i> .....	49
5.15.2	<i>MRC – Meeting Room Code List</i> .....	49
5.15.3	<i>OTC – Option Type Code List</i> .....	49
5.15.4	<i>REC – Recreation Service Detail List</i> .....	49
5.15.5	<i>RMA – Room Amenity Code List</i> .....	49
5.15.6	<i>RSI – Restaurant Service Info List</i> .....	49
5.15.7	<i>SEC – Security Feature List</i> .....	49
5.16	<b>OTA_HOTELRFP_MEETINGRS</b> .....	49
5.16.1	<i>HAC – Hotel Amenity Code List</i> .....	50
5.16.2	<i>MRC – Meeting Room Code List</i> .....	50
5.16.3	<i>OTC – Option Type Code List</i> .....	50
5.16.4	<i>REC – Recreation Service Detail List</i> .....	50
5.16.5	<i>RMA – Room Amenity Code List</i> .....	50
5.16.6	<i>RSI – Restaurant Service Info List</i> .....	50
5.16.7	<i>SEC – Security Feature List</i> .....	50
5.17	<b>OTA_HOTELRFP_MEETINGNOTIFRQ</b> .....	50
5.17.1	<i>HAC – Hotel Amenity Code List</i> .....	50
5.17.2	<i>MRC – Meeting Room Code List</i> .....	50
5.17.3	<i>OTC – Option Type Code List</i> .....	50
5.17.4	<i>REC – Recreation Service Detail List</i> .....	50
5.17.5	<i>RMA – Room Amenity Code List</i> .....	51
5.17.6	<i>RSI – Restaurant Service Info List</i> .....	51

---

<i>5.17.7 SEC – Security Feature List.....</i>	<i>51</i>
<b>5.18 OTA_HOTELRFP_TRANSIENTRS .....</b>	<b>51</b>
<i>5.18.1 HAC – Hotel Amenity Code List .....</i>	<i>51</i>
<i>5.18.2 MRC – Meeting Room Code List .....</i>	<i>51</i>
<i>5.18.3 OTC – Option Type Code List.....</i>	<i>51</i>
<i>5.18.4 REC – Recreation Service Detail List.....</i>	<i>53</i>
<i>5.18.5 RMA – Room Amenity Code List.....</i>	<i>53</i>
<i>5.18.6 RSI – Restaurant Service Info List .....</i>	<i>53</i>
<i>5.18.7 SEC – Security Feature List.....</i>	<i>53</i>
<b>5.19 OTA_HOTELRFP_TRANSIENTNOTIFRQ.....</b>	<b>53</b>
<i>5.19.1 HAC – Hotel Amenity Code List .....</i>	<i>54</i>
<i>5.19.2 MRC – Meeting Room Code List .....</i>	<i>54</i>
<i>5.19.3 OTC – Option Type Code List.....</i>	<i>54</i>
<i>5.19.4 REC – Recreation Service Detail List.....</i>	<i>55</i>
<i>5.19.5 RMA – Room Amenity Code List.....</i>	<i>55</i>
<i>5.19.6 RSI – Restaurant Service Info List .....</i>	<i>55</i>
<i>5.19.7 SEC – Security Feature List.....</i>	<i>56</i>
<b>6 APPENDICES .....</b>	<b>57</b>
6.1 GLOSSARY OF TERMS .....	57
6.2 IMPLEMENTATION NOTES .....	57

## 1 This Document at a Glance

This document is focused on how new protocols and policy changes can be shared through distribution channels to ensure a guest has appropriate information at their fingertips prior to as well as throughout the booking process. Although much of this information has been created in response to the COVID-19 pandemic, many of the specific protocols and policy changes may be used in other situations and have been designed to do so.

## 2 Document Information

### 2.1 Document History

Version	Date	Author	Comments
0.01	30 OCT 2020	Sandy Angel	Initial document creation
0.02	06 JAN 2021	Sandy Angel	Inclusion of Search, Availability and Reservation Messages
0.03	14 JAN 2021	Sandy Angel	Inclusion of Meeting and Transient RFP Messages
1.0	02 FEB 2021	Sandy Angel	Publication

### 2.2 Document Purpose

In response to the COVID-19 pandemic, hotels and resorts have a need to share new protocols and services with guests prior to and throughout the booking process. Through HTNG's Travel Safe Workgroup, new codes were added to the OpenTravel Code List to enable sharing these protocols and services as well as changes to existing protocols and services in the distribution channel which many properties already use.

The workgroup responsible for identifying and adding the new codes to the OpenTravel Code Lists and creating this document was composed of members from the [Hotel Electronic Distribution Network Association](#) (HEDNA), [Hospitality Technology Next Generation](#) (HTNG) and the [OpenTravel Alliance](#), as this was a joint initiative of these three associations.

This publication features aggregated guidance with the help of our member organizations, the US Center for Disease Control (CDC), the World Health Organization (WHO) and their regional and global counterparts, allowing updates where necessary to provide guidance and direction in the use of codes and their detailed descriptions. These codes are intended to support the standardization of communication and an understanding throughout all hospitality distribution methods globally. The codes are also designed to enable clarity and transparency for a traveler's journey.

### 2.3 Scope

The scope of this document is limited to such codes that were deemed useful and necessary in the context to the COVID-19 pandemic at the time of creation in 2020.

These codes were created to be used in the following messages:

- OTA\_HotelDescriptiveContentNotifRQ
- OTA\_HotelDescriptiveInfoRS
- OTA\_HotelAvailRQ
- OTA\_HotelAvail RS

- OTA\_HotelSearchRQ
- OTA\_HotelSearchRS
- OTA\_HotelResRQ
- OTA\_HotelResRS
- OTA\_HotelResNotifRQ
- OTA\_HotelResNotifRS
- OTA\_HotelResModifyRQ
- OTA\_HotelResModifyRS
- OTA\_HotelResModifyNotifRQ
- OTA\_HotelResModifyNotifRS
- OTA\_HotelRFP\_MeetingRQ
- OTA\_HotelRFP\_MeetingRS
- OTA\_HotelRFP\_MeetingNotifRQ
- OTA\_HotelRFP\_TransientRS
- OTA\_HotelRFP\_TransientNotifRQ

## 2.4 Useful Resources

- [Implementing Web Services Using HTNG Specifications – A Quick Start Guide for Software Developers](#)
- [AHLA - Safe Stay](#)
- [OpenTravel Code List](#)
- [HTNG Specifications](#)
- [Open Travel Alliance Specifications](#)

## 2.5 Audience

The target audience for this effort includes hospitality distribution partners and the vendors and operators focused on communication, distribution and RFP/RFI development. The terminology and codes throughout this document will be utilized to support automated transmissions and standardization of these communications.

## 2.6 Overview

HTNG's Travel Safe Workgroup has reviewed existing messages and made recommendations on changes to support new safety and health requirements. Phase I of the group reviewed the existing hotel content messages and Phase II reviewed the existing search, availability, reservation and request for proposal (RFP) messages, and it determined where new codes should be added to support the new requirements. The identified codes have been submitted to OpenTravel through the organization's code list request process. The results are included in [Section 4 – Code Amendments](#).

Although a fair number of codes were added to the code lists, not all implementers will make use of every code. Hoteliers should work with their distribution partners to identify which codes are appropriate for their properties to ensure their partners are able to accept the codes they choose to implement. The codes that have been identified (both new and existing) in this document may be used to initiate the conversation between distribution partners, keeping in mind that a subset of these codes may be used separately from hotelier to hotelier.

Additionally, depending on how each entity interacts with a guest, these codes may not require implementation in each of the previously defined messages. It is important that a guest is given this

information during the search, availability, booking and RFP processes. But, whether that is contained within the messages themselves or pulled from a database and displayed in another format is an implementation decision.

This group encourages users to recognize that services and amenities might change over the time of the buying/booking journey. What is displayed during a search, a reservation and finally, experienced when on-property may not all be the same. Therefore, a proactive approach is recommended to inform guests where they can find the most recent list of services and amenities relevant to their reservation and stay.

## 3 Pre-Arrival Considerations for New Protocols

Each of the following business scenarios describes a specific business situation for which the travel safe codes may be relevant. These examples are intended to show how the codes may apply for sharing hotel protocols with guests prior to arrival.

### 3.1 Cleaning Protocols

A guest is planning a stay in New York City and is concerned about the cleaning protocols at the hotel in light of the current health crisis. The guest wishes to understand what processes are in place for ensuring both the room and public spaces within the hotel are properly cleaned and sanitized. The guest's hotel choice will ultimately be driven by their comfort level with the hotel's current policies in place.

### 3.2 Check-in/Check-out

A guest planning to stay in Miami is concerned about limiting surface contacts and wants to understand the available options for contactless payments during the check-in or check-out processes.

### 3.3 Temporary Closure of Facilities and Services

Considering the fluid nature of the availability of certain facilities and services due to local government mandates, a guest planning to stay in San Francisco wants clarity on what facilities and services, if any, will be temporarily unavailable during their scheduled stay.

### 3.4 Housekeeping

A guest planning to stay in London is concerned about hotel staff entering their room after check-in and would like to understand if housekeeping can be on a 'request-only basis' for the duration of their stay.

## 4 Code Amendments

In this section, codes that have been added to specific code lists will be identified as well as codes that previously existed in the lists that are relevant for this effort.

Many codes are intentionally broad to allow a hotel to provide further detail specific to their property(ies). Throughout the messages, additional fields are listed which may be used in conjunction with the code fields to provide further information. One such field is CodeDetail, a string field, which allows the sender to provide more information related to the specified code. For example, the CodeDetail field may be used in conjunction with HAC code #353 – Cleanliness Certification to specify with which cleanliness program the hotel is certified.

### 4.1 HAC – Hotel Amenity Code

The Hotel Amenity Code (HAC) is used for codes that apply at the hotel level.

#### 4.1.1 Code Additions

Code Table	Code Value	Code
HAC	353	Cleanliness Certification
HAC	354	Contactless payment available during check in/out
HAC	355	Wrapped disposable or metal straws
HAC	356	Individually sealed disposable utensils available
HAC	357	Individually packaged food options
HAC	358	Additional cleaning services
HAC	359	Contactless in-room dining
HAC	360	Hotel staff allowed to enter a hotel room once a guest has checked in
HAC	361	Staff's access to guest rooms subject to the guest's authorization
HAC	362	Buffets or plated meals served only by employees/attendants
HAC	363	Pre-packaged breakfast items
HAC	364	Non-touch operations available in public bathrooms

<b>HAC</b>	365	Measures are in place to avoid guests handling food at buffets
<b>HAC</b>	366	Self-service food utensils replaced frequently
<b>HAC</b>	367	Luggage stored per group of guests
<b>HAC</b>	368	Non-shareable food and beverage menus provided
<b>HAC</b>	370	Controlled occupancy in elevators/lifts
<b>HAC</b>	371	Property air purification system
<b>HAC</b>	372	Allergy friendly rooms
<b>HAC</b>	373	Medical grade air purification system
<b>HAC</b>	374	Testing and tracing policies
<b>HAC</b>	375	AHLA Safe Stay compliant

#### 4.1.2 Existing Relevant Codes

Code Table	Code Value	Code
<b>HAC</b>	1	24-hour front desk
<b>HAC</b>	18	Check-in kiosk
<b>HAC</b>	28	Doctor on call
<b>HAC</b>	31	Drug store/pharmacy
<b>HAC</b>	36	Express check-in
<b>HAC</b>	37	Express check-out
<b>HAC</b>	143	Dinner delivery service from local restaurant
<b>HAC</b>	149	Grocery shopping service available
<b>HAC</b>	169	24-hour food & beverage kiosk

<b>HAC</b>	177	Limited service housekeeping
<b>HAC</b>	211	Lobby coffee service
<b>HAC</b>	249	Carryout breakfast
<b>HAC</b>	311	Room air filtration
<b>HAC</b>	313	Water purification system in use
<b>HAC</b>	349	Mobile/Digital Check-in
<b>HAC</b>	350	Mobile/Digital Check-out
<b>HAC</b>	352	Enhanced Hygiene/Cleanliness Protocols

## 4.2 MRC – Meeting Room Code

The Meeting Room Code (MRC) is used for codes that apply at the meeting room level.

### 4.2.1 Code Additions

Code Table	Code Value	Code
<b>MRC</b>	208	Pens and writing pads upon request
<b>MRC</b>	209	Virtual site inspection available
<b>MRC</b>	210	Meeting space capacities and configurations follow social distancing guidelines
<b>MRC</b>	211	Food and beverage stations include protective sneeze guards
<b>MRC</b>	212	Third-party partners comply with property's cleanliness standards
<b>MRC</b>	213	Live-streaming meetings capabilities enabled
<b>MRC</b>	214	Direct access to outdoor space
<b>MRC</b>	215	Windows open for ventilation
<b>MRC</b>	216	Group sizes may be limited

MRC	217	Single serve food and beverage options available
-----	-----	--

#### 4.2.2 Existing Relevant Codes

Code Table	Code Value	Code
MRC	42	Separate entrance
MRC	43	Separate registration area
MRC	97	Portable wall rooms
MRC	98	Non portable wall rooms
MRC	121	Teleconferencing

### 4.3 OTC – Option Type Code

The Option Type Code (OTC) is used throughout the message to specify an option type related to another code.

#### 4.3.1 Code Additions

Code Table	Code Value	Code
OTC	8	Temporarily unavailable

#### 4.3.2 Existing Relevant Codes

Code Table	Code Value	Code
OTC	4	Not available

### 4.4 REC – Recreation Service Detail Code

The Recreation Service Detail Code is used for codes that apply at the recreation level. Please note that the REC code list is used in conjunction with the RST Recreation Service Type code list which specifies the type of activity or facility that the REC code relates to.

#### 4.4.1 Code Additions

Code Table	Code Value	Code
REC	98	Contactless payment available
REC	99	Disinfectant wipes available
REC	100	

		Lockers are assigned to ensure social distancing
<b>REC</b>	101	Lockers are pre-locked to prevent contamination
<b>REC</b>	102	Private spaces designated
<b>REC</b>	103	Disinfected after each use
<b>REC</b>	104	Frequently disinfected
<b>REC</b>	105	Reservation required
<b>REC</b>	106	Limited occupancy

#### 4.4.2 Existing Relevant Codes

Code Table	Code Value	Code
<b>REC</b>	34	Appointment Required

## 4.5 RMA – Room Amenity Code

The Room Amenity Code is used for codes that apply at the room level.

#### 4.5.1 Code Additions

Code Table	Code Value	Code
<b>RMA</b>	284	Wrapped coffee and condiments packages
<b>RMA</b>	285	TV remotes disinfected
<b>RMA</b>	286	Extraneous room amenities removed
<b>RMA</b>	287	Electronics controlled by personal mobile device
<b>RMA</b>	288	TV controlled by personal mobile device
<b>RMA</b>	289	Voice enabled room controls
<b>RMA</b>	290	Room air purification system
<b>RMA</b>	291	Allergy friendly room

RMA	292	Medical grade air purification system
RMA	293	All surfaces sanitized between stays

#### 4.5.2 Existing Relevant Codes

Code Table	Code Value	Code
RMA	121	Water purification system
RMA	243	Outdoor space
RMA	247	Room windows open
RMA	278	Roof ventilator

### 4.6 RSI – Restaurant Service Info

The Restaurant Service Info code is used for codes that apply at the restaurant level.

#### 4.6.1 Code Additions

Code Table	Code Value	Code
RSI	23	Contactless payment available
RSI	24	Table spacing/reduced occupancy follows local guidance
RSI	25	Restricted to hotel guest use only
RSI	26	Outdoor seating available
RSI	27	Heated outdoor seating available
RSI	28	Year-round outdoor seating available

#### 4.6.2 Existing Relevant Codes

Code Table	Code Value	Code
RSI	7	Meals to go
RSI	8	Room service
RSI	9	Self service

RSI	10	Special meal services
RSI	11	Take out

## 4.7 SEC – Security Feature Code

The Security Feature Code is used for codes that are specifically related to security and safety throughout the hotel.

### 4.7.1 Code Additions

Code Table	Code Value	Code
SEC	109	Social distancing measures deployed
SEC	110	Signage deployed to facilitate social distancing
SEC	111	Physical barriers deployed to facilitate social distancing
SEC	112	Floor markers deployed to facilitate social distancing
SEC	113	Physical spacing required to facilitate social distancing
SEC	114	Personal protective equipment worn by hotel staff
SEC	115	Hospital grade disinfectants used
SEC	116	Masks required for all in public spaces
SEC	117	Contaminated rooms quarantined
SEC	118	Hotel disinfects luggage
SEC	119	Disinfecting electrostatic spray used upon check-out
SEC	120	Disinfecting electrostatic spraying used in public spaces
SEC	121	Hand sanitizer stations in high traffic public spaces

<b>SEC</b>	122	Communicate proper health and safety procedures to staff and guests
<b>SEC</b>	123	Local law requires guests to complete a health declaration form at check-in
<b>SEC</b>	124	Property limits number of guests in food and beverage areas
<b>SEC</b>	125	Masks available
<b>SEC</b>	126	Latex free gloves available
<b>SEC</b>	127	Disinfecting wipes available
<b>SEC</b>	128	Hand sanitizer available
<b>SEC</b>	129	Designated waste bins to collect hazardous material available
<b>SEC</b>	130	Hotel sanitize or dispose of key cards after each use
<b>SEC</b>	131	Pools and/or spas chemicals are maintained and meet local jurisdiction
<b>SEC</b>	132	Contractors/vendors informed of local health and safety regulations
<b>SEC</b>	133	Enhanced laundry care for contaminated linens
<b>SEC</b>	134	Temperature check performed
<b>SEC</b>	135	Rapid testing
<b>SEC</b>	136	Proof of negative test
<b>SEC</b>	137	Proof of vaccination
<b>SEC</b>	138	Guest accommodations sealed after cleaning
<b>SEC</b>	139	All bedding cleaned between guest stays
<b>SEC</b>	140	

		Linens and laundry washed in accordance with local authority or brand guidelines
<b>SEC</b>	141	All linens sanitized in high temperature wash
<b>SEC</b>	142	Shared use equipment removed
<b>SEC</b>	143	Contact tracing in accordance with local authorities
<b>SEC</b>	144	Masks required on hotel provided transportation
<b>SEC</b>	145	Reduced occupancy to ensure social distancing on hotel shuttle
<b>SEC</b>	146	Hotel provided transportation disinfected frequently

#### 4.7.2 Existing Relevant Codes

Code Table	Code Value	Code
<b>SEC</b>	12	Doctor on call
<b>SEC</b>	32	Multiple exits on each floor
<b>SEC</b>	42	Room accessible through balcony sliding glass doors
<b>SEC</b>	43	Room windows open
<b>SEC</b>	51	Some guest rooms have a balcony
<b>SEC</b>	59	Ventilated stairwells
<b>SEC</b>	106	Health club facilities (pool/gym) require key access for entrance
<b>SEC</b>	108	Digital key/Mobile key

## 5 Messages

Specific OpenTravel messages make use of enhanced code lists. Below there are messages that reference the lists identified in this document and the x-paths to where within the message they can be found.

In many locations within the messages there are other fields that could be useful to convey additional information regarding a specific code such as code detail, operation schedule, or even two code lists used in conjunction with each other. Please refer to the message itself for available fields location by location.

### 5.1 OTA\_HotelDescriptiveContentNotifRQ

The OTA\_HotelDescriptiveContentNotifRQ is a broadcast message used to publicize detailed descriptive information about a hotel property by standardized data categories. Likewise, static information about a hotel property can be obtained by using the Hotel Search Request and/or Hotel Availability Request to search for static information by category, using codes agreed upon between trading partners to request more detail about a hotel.

The Hotel Descriptive Content interface enables accessing hotel data in both a push and pull format in order to avoid storing the data at multiple locations. In most cases, the hotel property is the owner of the data and is in charge of updating. It also sends out a broadcast message as a full overlay to replace previous information, or a partial update message modification to make changes to portions of the data.

#### 5.1.1 HAC – Hotel Amenity Code List

- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/HotellInfo/Services/Service/@Code
- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType

#### 5.1.2 MRC – Meeting Room Code List

- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/HotellInfo/Services/Service/@MeetingRoomCode
- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/FacilityInfo/MeetingRooms/MeetingRoom/Codes/Code/@Code
- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/FacilityInfo/MeetingRooms/Codes/Code/@Code

#### 5.1.3 OTC – Option Type Code List

(Please note the OTC code list is referenced extensively throughout the message, included below are those that may be the most relevant for the purposes of this document.)

- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/HotellInfo/Services/Service/@ExistsCode (for use with HAC)
- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/HotellInfo/Services/Service/Features/Feature/@ExistsCode (for use with SEC)
- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/FacilityInfo/GuestRooms/GuestRoom/Amenities/Amenity/@ExistsCode (for use with RMA)

- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/Facility Info/GuestRooms/GuestRoom/Features/Feature/@ExistsCode (for use with SEC)
- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/Facility Info/Restaurants/Restaurant/Features/Feature/@ExistsCode (for use with SEC)
- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/Facility Info/MeetingRooms/MeetingRoom/Codes/Code/@ExistsCode (for use with MRC)
- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/Facility Info/MeetingRooms/MeetingRoom/Features/Feature/@ExistsCode (for use with SEC)
- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/Facility Info/MeetingRooms/Codes/Code/@ExistsCode (for use with MRC)
- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/Facility Info/GuestRooms/GuestRoom/Amenities/Amenity/@ExistsCode (for use with RMA)
- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/Facility Info/GuestRooms/GuestRoom/Features/Feature/@ExistsCode (for use with SEC)
- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/AreaInfo/Recreations/Recreation/@ExistsCode (for use with RST)
- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/AreaInfo/Recreations/Recreation/RecreationDetails/RecreationDetail/@ExistsCode (for use with REC)

#### **5.1.4 REC – Recreation Service Detail List**

- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/AreaInfo/Recreations/Recreation/RecreationDetails/RecreationDetail/@Code

#### **5.1.5 RMA – Room Amenity Code List**

- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/Facility Info/GuestRooms/GuestRoom/Amenities/Amenity/@RoomAmenityCode
- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity

#### **5.1.6 RSI – Restaurant Service Info List**

- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/Facility Info/Restaurants/Restaurant/SrvclInfoCodes/SrvclInfoCode/@Code
- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/Facility Info/Restaurants/SrvclInfoCodes/SrvclInfoCode/@Code

#### **5.1.7 SEC – Security Feature List**

- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/HotelInfo/Services/Service/Features/Feature/@SecurityCode
- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/Facility Info/MeetingRooms/MeetingRoom/Features/Feature/@SecurityCode
- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/Facility Info/GuestRooms/GuestRoom/Features/Feature/@SecurityCode
- OTA\_HotelDescriptiveContentNotifRQ/HotelDescriptiveContents/HotelDescriptiveContent/Facility Info/Restaurants/Restaurant/Features/Feature/@SecurityCode

## 5.2 OTA\_HotelDescriptiveInfoRS

The OTA\_HotelDescriptiveInfoRS message is used to provide detailed descriptive information about a hotel property.

### 5.2.1 HAC – Hotel Amenity Code List

- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/HotelInfo/Services/Service/@Code
- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType

### 5.2.2 MRC – Meeting Room Code List

- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/HotelInfo/Services/Service/@MeetingRoomCode
- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/FacilityInfo/MeetingRooms/MeetingRoom/Codes/Code/@Code
- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/FacilityInfo/MeetingRooms/Codes/Code/@Code

### 5.2.3 OTC – Option Type Code List

(Please note the OTC code list is referenced extensively throughout the message, included below are those that may be the most relevant for the purposes of this document.)

- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/HotelInfo/Services/Service/@ExistsCode (for use with HAC)
- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/HotelInfo/Services/Service/Features/Feature/@ExistsCode (for use with SEC)
- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/FacilityInfo/GuestRooms/GuestRoom/Amenities/Amenity/@ExistsCode (for use with RMA)
- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/FacilityInfo/GuestRooms/GuestRoom/Features/Feature/@ExistsCode (for use with SEC)
- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/FacilityInfo/Restaurants/Restaurant/Features/Feature/@ExistsCode (for use with SEC)
- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/FacilityInfo/MeetingRooms/MeetingRoom/Codes/Code/@ExistsCode (for use with MRC)
- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/FacilityInfo/MeetingRooms/MeetingRoom/Features/Feature/@ExistsCode (for use with SEC)
- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/FacilityInfo/MeetingRooms/Codes/Code/@ExistsCode (for use with MRC)
- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/FacilityInfo/GuestRooms/GuestRoom/Amenities/Amenity/@ExistsCode (for use with RMA)
- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/FacilityInfo/GuestRooms/GuestRoom/Features/Feature/@ExistsCode (for use with SEC)
- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/AreaInfo/Recreations/Recreation/@ExistsCode (for use with RST)
- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/AreaInfo/Recreations/Recreation/RecreationDetails/RecreationDetail/@ExistsCode (for use with REC)

#### **5.2.4 REC – Recreation Service Detail List**

- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/AreaInfo/Recreations/Recreation/RecreationDetails/RecreationDetail/@ExistsCode

#### **5.2.5 RMA – Room Amenity Code List**

- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/FacilityInfo/GuestRooms/GuestRoom/Amenities/Amenity/@RoomAmenityCode
- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity

#### **5.2.6 RSI – Restaurant Service Info List**

- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/FacilityInfo/Restaurants/Restaurant/SrvInfoCodes/SrvInfoCode/@Code
- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/FacilityInfo/Restaurants/SrvInfoCodes/SrvInfoCode/@Code

#### **5.2.7 SEC – Security Feature List**

- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/HotelInfo/Services/Service/Feature/@SecurityCode
- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/FacilityInfo/MeetingRooms/MeetingRoom/Features/Feature/@SecurityCode
- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/FacilityInfo/GuestRooms/GuestRoom/Features/Feature/@SecurityCode
- OTA\_HotelDescriptiveInfoRS/HotelDescriptiveContents/HotelDescriptiveContent/FacilityInfo/Restaurants/Restaurant/Features/Feature/@SecurityCode

### **5.3 OTA\_HotelAvailRQ**

The OTA\_HotelAvail message requests availability of hotel properties by specific criteria that may include dates, date ranges, price range, room types, regular and qualifying rates, and/or services and amenities. The availability message can be used to get an initial availability or to get availability for the purpose of modifying an existing reservation.

#### **5.3.1 HAC – Hotel Amenity Code List**

- OTA\_HotelAvailRQ/AvailRequestSegments/AvailRequestSegment/HotelSearchCriteria/Criterion/HotelAmenity/@Code
- OTA\_HotelAvailRQ/AvailRequestSegments/AvailRequestSegment/HotelSearchCriteria/Criterion/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelAvailRQ/AvailRequestSegments/AvailRequestSegment/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType

#### **5.3.2 MRC – Meeting Room Code List**

- OTA\_HotelAvailRQ/AvailRequestSegments/AvailRequestSegment/HotelSearchCriteria/Criterion/HotelMeetingFacility/@MeetingRoomCode

### 5.3.3 OTC – Option Type Code List

- OTA\_HotelAvailRQ/AvailRequestSegments/AvailRequestSegment/HotelSearchCriteria/Criterion/RoomAmenity/@ExistsCode (for use with RMA)
- OTA\_HotelAvailRQ/AvailRequestSegments/AvailRequestSegment/HotelSearchCriteria/Criterion/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelAvailRQ/AvailRequestSegments/AvailRequestSegment/HotelSearchCriteria/Criterion/RoomStayCandidates/RoomStayCandidate/RoomAmenity/@ExistsCode (for use with RMA)
- OTA\_HotelAvailRQ/AvailRequestSegments/AvailRequestSegment/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)

### 5.3.4 REC – Recreation Service Detail List

Not referenced in this message.

### 5.3.5 RMA – Room Amenity Code List

- OTA\_HotelAvailRQ/AvailRequestSegments/AvailRequestSegment/HotelSearchCriteria/Criterion/RoomAmenity/@RoomAmenity
- OTA\_HotelAvailRQ/AvailRequestSegments/AvailRequestSegment/HotelSearchCriteria/Criterion/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelAvailRQ/AvailRequestSegments/AvailRequestSegment/HotelSearchCriteria/Criterion/RoomStayCandidates/RoomStayCandidate/RoomAmenity/@RoomAmenity
- OTA\_HotelAvailRQ/AvailRequestSegments/AvailRequestSegment/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelAvailRQ/AvailRequestSegments/AvailRequestSegment/RoomStayCandidates/RoomStayCandidate/RoomAmenity/@RoomAmenity

### 5.3.6 RSI – Restaurant Service Info List

Not referenced in this message.

### 5.3.7 SEC – Security Feature List

- OTA\_HotelAvailRQ/AvailRequestSegments/AvailRequestSegment/HotelSearchCriteria/Criterion/HotelFeature/@SecurityFeatureCode

## 5.4 OTA\_HotelAvailRS

The OTA\_HotelAvailRS message contains return information about hotel properties that meet the requested criteria, indicating whether the requested service, rate, room stay, etc. is available within the date(s) specified. The response message may include warnings from business processing rules, or errors if the request did not succeed.

### 5.4.1 HAC – Hotel Amenity Code List

- OTA\_HotelAvailRS/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelAvailRS/HotelStays/HotelStay/BasicPropertyInfo/HotelAmenity/@Code
- OTA\_HotelAvailRS/RoomStays/RoomStay/BasicPropertyInfo/HotelAmenity/@Code

- OTA\_HotelAvailRS/Criteria/Criterion/HotelAmenity/@Code
- OTA\_HotelAvailRS/Criteria/Criterion/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/Hot elPref/PropertyAmenityPref/@PropertyAmenityType

#### **5.4.2 MRC – Meeting Room Code List**

- OTA\_HotelAvailRS/HotelStays/HotelStay/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoom Code
- OTA\_HotelAvailRS/RoomStays/RoomStay/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoo mCode
- OTA\_HotelAvailRS/Criteria/Criterion/HotelMeetingFacility/@MeetingRoomCode

#### **5.4.3 OTC – Option Type Code List**

- RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelAvailRS/HotelStays/HotelStay/BasicPropertyInfo/RelativePosition/Transportations/Tra nsportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelAvailRS/RoomStays/RoomStay/RoomTypes/RoomType/Amenities/Amenity/@ExistsC ode (for use with RMA)
- OTA\_HotelAvailRS/RoomStays/RoomStay/BasicPropertyInfo/RelativePosition/Transportations/Tr ansportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelAvailRS/Criteria/Criterion/RoomAmenity/@ExistsCode (for use with RMA)
- OTA\_HotelAvailRS/Criteria/Criterion/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/Hot elPref/RoomAmenityPref/@ExistsCode
- OTA\_HotelAvailRS/Criteria/Criterion/RoomStayCandidates/RoomStayCandidate/RoomAmenity/ @ExistsCode (for use with RMA)

#### **5.4.4 REC – Recreation Service Detail List**

Not referenced in this message.

#### **5.4.5 RMA – Room Amenity Code List**

- OTA\_HotelAvailRS/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAme ntyPref/@RoomAmenity
- OTA\_HotelAvailRS/RoomStays/RoomStay/RoomTypes/RoomType/Amenities/Amenity/@RoomA menity
- OTA\_HotelAvailRS/RoomStays/RoomStay/RoomRates/RoomRate/Rates/Rate/AdditionalCharge s/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelAvailRS/RoomStays/RoomStay/RoomRates/RoomRate/Features/Feature/@RoomAm enity
- OTA\_HotelAvailRS/Services/Service/Price/AdditionalCharges/AdditionalCharge/@RoomAmenity Code
- OTA\_HotelAvailRS/Criteria/Criterion/RoomAmenity/@RoomAmenity
- OTA\_HotelAvailRS/Criteria/Criterion/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/Hot elPref/RoomAmenityPref/@RoomAmenity

- OTA\_HotelAvailRS/Criteria/Criterion/RoomStayCandidates/RoomStayCandidate/RoomAmenity/@RoomAmenity

#### **5.4.6 RSI – Restaurant Service Info List**

Not referenced in this message.

#### **5.4.7 SEC – Security Feature List**

- OTA\_HotelAvailRS/HotelStays/HotelStay/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode
- OTA\_HotelAvailRS/RoomStays/RoomStay/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode
- OTA\_HotelAvailRS/Criteria/Criterion/HotelFeature/@SecurityFeatureCode

### **5.5 OTA\_HotelSearchRQ**

The OTA\_HotelSearchRQ message identifies the initial request for hotel property data.

#### **5.5.1 HAC – Hotel Amenity Code List**

- OTA\_HotelSearchRQ/Criteria/Criterion/HotelAmenity/@Code
- OTA\_HotelSearchRQ/Criteria/Criterion/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType

#### **5.5.2 MRC – Meeting Room Code List**

- OTA\_HotelSearchRQ/Criteria/Criterion/HotelMeetingFacility/@MeetingRoomCode

#### **5.5.3 OTC – Option Type Code List**

- OTA\_HotelSearchRQ/Criteria/Criterion/RoomAmenity/@ExistsCode (for use with RMA)
- OTA\_HotelSearchRQ/Criteria/Criterion/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelSearchRQ/Criteria/Criterion/RoomStayCandidates/RoomStayCandidate/RoomAmenity/@ExistsCode (for use with RMA)

#### **5.5.4 REC – Recreation Service Detail List**

Not referenced in this message.

#### **5.5.5 RMA – Room Amenity Code List**

- OTA\_HotelSearchRQ/Criteria/Criterion/RoomAmenity/@RoomAmenity
- OTA\_HotelSearchRQ/Criteria/Criterion/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelSearchRQ/Criteria/Criterion/RoomStayCandidates/RoomStayCandidate/RoomAmenity/@RoomAmenity

#### **5.5.6 RSI – Restaurant Service Info List**

Not referenced in this message.

### **5.5.7 SEC – Security Feature List**

- OTA\_HotelSearchRQ/Criteria/Criterion/HotelFeature/@SecurityFeatureCode

## **5.6 OTA\_HotelSearchRS**

The OTA\_HotelSearchRS message returns a list of hotel properties that meet the requested criteria and/or warnings, or errors if the request did not succeed.

### **5.6.1 HAC – Hotel Amenity Code List**

- OTA\_HotelSearchRS/Properties/Property/HotelAmenity/@Code
- OTA\_HotelSearchRS/Properties/Property/Amenities/Amenity/@PropertyAmenityType
- OTA\_HotelSearchRS/Criteria/Criterion/HotelAmenity/@Code
- OTA\_HotelSearchRS/Criteria/Criterion/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType

### **5.6.2 MRC – Meeting Room Code List**

- OTA\_HotelSearchRS/Properties/Property/HotelMeetingFacility/@MeetingRoomCode
- OTA\_HotelSearchRS/Criteria/Criterion/HotelMeetingFacility/@MeetingRoomCode

### **5.6.3 OTC – Option Type Code List**

- OTA\_HotelSearchRS/Properties/Property/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelSearchRS/Properties/Property/Amenities/Amenity/@ExistsCode (for use with RMA)
- OTA\_HotelSearchRS/Criteria/Criterion/RoomAmenity/@ExistsCode (for use with RMA)
- OTA\_HotelSearchRS/Criteria/Criterion/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelSearchRS/Criteria/Criterion/RoomStayCandidates/RoomStayCandidate/RoomAmenity/@ExistsCode (for use with RMA)

### **5.6.4 REC – Recreation Service Detail List**

Not referenced in this message.

### **5.6.5 RMA – Room Amenity Code List**

- OTA\_HotelSearchRS/Properties/Property/Amenities/Amenity/@RoomAmenity
- OTA\_HotelSearchRS/Criteria/Criterion/RoomAmenity/@RoomAmenity
- OTA\_HotelSearchRS/Criteria/Criterion/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelSearchRS/Criteria/Criterion/RoomStayCandidates/RoomStayCandidate/RoomAmenity/@RoomAmenity

### **5.6.6 RSI – Restaurant Service Info List**

Not referenced in this message.

### **5.6.7 SEC – Security Feature List**

- OTA\_HotelSearchRS/Properties/Property/HotelFeature/@SecurityFeatureCode
- OTA\_HotelSearchRS/Criteria/Criterion/HotelFeature/@SecurityFeatureCode

## 5.7 OTA\_HotelResRQ

The OTA\_HotelResRQ message sends a request for a reservation to another system. There is no requirement to determine availability prior to sending a reservation request. Travel agencies or individual guests may send a request to book a reservation from an Internet site if all the information required for booking is known. The OTA\_HotelResRQ message can initiate the first message in the sequence of booking a reservation.

### 5.7.1 HAC – Hotel Amenity Code List

- OTA\_HotelResRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/BasicPropertyInfo /HotelAmenity/@Code
- OTA\_HotelResRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/BookingRules/Bo okingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/Prope rtyAmenityPref/@PropertyAmenityType
- OTA\_HotelResRQ/HotelReservations/HotelReservation/ResGuests/ResGuest/Profiles/ProfileInfo /Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResRQ/HotelReservations/HotelReservation/ResGuests/ResGuest/Profiles/ProfileInfo /Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResRQ/HotelReservations/HotelReservation/ResGlobalInfo/BookingRules/BookingRul e/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmeni tyPref/@PropertyAmenityType
- OTA\_HotelResRQ/HotelReservations/HotelReservation/ResGlobalInfo/BasicPropertyInfo/HotelA menity/@Code

### 5.7.2 MRC – Meeting Room Code List

- OTA\_HotelResRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/BasicPropertyInfo /HotelMeetingFacility/@MeetingRoomCode
- OTA\_HotelResRQ/HotelReservations/HotelReservation/ResGlobalInfo/BasicPropertyInfo/HotelM eetingFacility/@MeetingRoomCode

### 5.7.3 OTC – Option Type Code List

- OTA\_HotelResRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/RoomTypes/Roo mType/Amenities/Amenity/@ExistsCode (for use with RMA)
- OTA\_HotelResRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/BasicPropertyInfo /RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP)
- OTA\_HotelResRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/BookingRules/Bo okingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/Room AmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResRQ/HotelReservations/HotelReservation/ResGuests/ResGuest/Profiles/ProfileInfo /Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResRQ/HotelReservations/HotelReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/ PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResRQ/HotelReservations/HotelReservation/ResGlobalInfo/BookingRules/BookingRul e/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenity Pref/@ExistsCode (for use with RMA)
- OTA\_HotelResRQ/HotelReservations/HotelReservation/ResGlobalInfo/BasicPropertyInfo/Relativ ePosition/Transportations/Transportation/@ExistsCode (for use with TRP)

#### **5.7.4 REC – Recreation Service Detail List**

Not referenced in this message.

#### **5.7.5 RMA – Room Amenity Code List**

- OTA\_HotelResRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/RoomTypes/RoomType/Amenities/Amenity/@RoomAmenity
- OTA\_HotelResRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/RoomRates/RoomRate/Rates/Rate/AdditionalCharges/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelResRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/RoomRates/RoomRate/Features/Feature/@RoomAmenity
- OTA\_HotelResRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResRQ/HotelReservations/HotelReservation/Services/Service/Price/AdditionalCharges/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelResRQ/HotelReservations/HotelReservation/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResRQ/HotelReservations/HotelReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResRQ/HotelReservations/HotelReservation/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity

#### **5.7.6 RSI – Restaurant Service Info List**

Not referenced in this message.

#### **5.7.7 SEC – Security Feature List**

- OTA\_HotelResRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode
- OTA\_HotelResRQ/HotelReservations/HotelReservation/ResGlobalInfo/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode

### **5.8 OTA\_HotelResRS**

The OTA\_HotelResRS message can be used to respond to an OTA\_HotelResRQ or the OTA\_ReadRQ. The response to a booking request is either ‘Yes’ or ‘No’ based upon the availability. The hotel PMS or CRS system responds back, attaching a confirmation number or additional information such as the reservation ID when the response is affirmative. Additional information, such as the count of loyalty program miles or points to be awarded for the hotel stay, can be added to the reservation object in the return. Supplementary data for the reservation can be added later once the reservation has been confirmed and the inventory is held.

#### **5.8.1 HAC – Hotel Amenity Code List**

- OTA\_HotelResRS/HotelReservations/HotelReservation/RoomStays/RoomStay/BasicPropertyInfo/HotelAmenity/@Code
- OTA\_HotelResRS/HotelReservations/HotelReservation/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType

- OTA\_HotelResRS/HotelReservations/HotelReservation/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResRS/HotelReservations/HotelReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResRS/HotelReservations/HotelReservation/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResRS/HotelReservations/HotelReservation/ResGlobalInfo/BasicPropertyInfo/HotelAmenity/@Code

#### **5.8.2 MRC – Meeting Room Code List**

- OTA\_HotelResRS/HotelReservations/HotelReservation/RoomStays/Roo Stay/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoomCode
- OTA\_HotelResRS/HotelReservations/HotelReservation/ResGlobalInfo/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoomCode

#### **5.8.3 OTC – Option Type Code List**

- OTA\_HotelResRS/HotelReservations/HotelReservation/RoomStays/Roo Stay/RoomTypes/Roo mType/Amenities/Amenity/@ExistsCode (for use with RMA)
- OTA\_HotelResRS/HotelReservations/HotelReservation/RoomStays/Roo Stay/BasicPropertyInfo/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelResRS/HotelReservations/HotelReservation/RoomStays/Roo Stay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResRS/HotelReservations/HotelReservation/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResRS/HotelReservations/HotelReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResRS/HotelReservations/HotelReservation/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResRS/HotelReservations/HotelReservation/ResGlobalInfo/BasicPropertyInfo/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)

#### **5.8.4 REC – Recreation Service Detail List**

Not referenced in this message.

#### **5.8.5 RMA – Room Amenity Code List**

- OTA\_HotelResRS/HotelReservations/HotelReservation/RoomStays/Roo Stay/RoomTypes/Roo mType/Amenities/Amenity/@RoomAmenity
- OTA\_HotelResRS/HotelReservations/HotelReservation/RoomStays/Roo Stay/RoomRates/Roo mRate/Rates/Rate/AdditionalCharges/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelResRS/HotelReservations/HotelReservation/RoomStays/Roo Stay/RoomRates/Roo mRate/Features/Feature/@RoomAmenity

- OTA\_HotelResRS/HotelReservations/HotelReservation/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResRS/HotelReservations/HotelReservation/Services/Service/Price/AdditionalCharges/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelResRS/HotelReservations/HotelReservation/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResRS/HotelReservations/HotelReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResRS/HotelReservations/HotelReservation/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity

### **5.8.6 RSI – Restaurant Service Info List**

Not referenced in this message.

### **5.8.7 SEC – Security Feature List**

- OTA\_HotelResRS/HotelReservations/HotelReservation/RoomStays/RoomStay/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode
- OTA\_HotelResRS/HotelReservations/HotelReservation/ResGlobalInfo/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode

## **5.9 OTA\_HotelResNotifRQ**

The OTA\_HotelResNotifRQ message supports the functionality of updating other systems with reservation data. The message assumes a push model, with the originating system pushing the data to another system. The originating system would usually be a booking source, such as a Global Distribution System (GDS), a Central Reservation System (CRS) or some other agent of the hotel.

### **5.9.1 HAC – Hotel Amenity Code List**

- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/BasicPropertyInfo/HotelAmenity/@Code
- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/ResGlobalInfo/BasicPropertyInfo/HotelAmenity/@Code

### **5.9.2 MRC – Meeting Room Code List**

- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoomCode

- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/ResGlobalInfo/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoomCode

### **5.9.3 OTC – Option Type Code List**

- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/RoomTypes/RoomType/Amenities/Amenity/@ExistsCode (for use with RMA)
- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/BasicPropertyInfo/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP)
- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/ResGlobalInfo/BasicPropertyInfo/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP)

### **5.9.4 REC – Recreation Service Detail List**

Not referenced in this message.

### **5.9.5 RMA – Room Amenity Code List**

- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/RoomTypes/RoomType/Amenities/Amenity/@RoomAmenity
- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/RoomRates/RoomRate/Rates/Rate/AdditionalCharges/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/RoomRates/RoomRate/Features/Feature/@RoomAmenity
- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/Services/Service/Price/AdditionalCharges/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity

### **5.9.6 RSI – Restaurant Service Info List**

Not referenced in this message.

### 5.9.7 SEC – Security Feature List

- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode
- OTA\_HotelResNotifRQ/HotelReservations/HotelReservation/ResGlobalInfo/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode

## 5.10 OTA\_HotelResNotifRS

The OTA\_HotelResNotifRS message returns acknowledgement that the reservation has been successfully received, or it includes warnings from business processing rules or errors if the request did not succeed. It may optionally include the updated reservation data.

### 5.10.1 HAC – Hotel Amenity Code List

- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/RoomStays/RoomStay/BasicPropertyInfo/HotelAmenity/@Code
- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/ResGlobalInfo/BasicPropertyInfo/HotelAmenity/@Code

### 5.10.2 MRC – Meeting Room Code List

- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/RoomStays/RoomStay/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoomCode
- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/ResGlobalInfo/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoomCode

### 5.10.3 OTC – Option Type Code List

- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/RoomStays/RoomStay/RoomTypes/RoomType/Amenities/Amenity/@ExistsCode (for use with RMA)
- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/RoomStays/RoomStay/BasicPropertyInfo/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)

- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/ResGlobalInfo/BasicPropertyInfo/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)

#### **5.10.4 REC – Recreation Service Detail List**

Not referenced in this message.

#### **5.10.5 RMA – Room Amenity Code List**

- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/RoomStays/RoomStay/RoomTypes/RoomType/Amenities/Amenity/@RoomAmenity
- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/RoomStays/RoomStay/RoomRates/RoomRate/Rates/Rate/AdditionalCharges/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/RoomStays/RoomStay/RoomRates/RoomRate/Features/Feature/@RoomAmenity
- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/Services/Service/Price/AdditionalCharges/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity

#### **5.10.6 RSI – Restaurant Service Info List**

Not referenced in this message.

#### **5.10.7 SEC – Security Feature List**

- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/RoomStays/RoomStay/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode
- OTA\_HotelResNotifRS/HotelReservations/HotelReservation/ResGlobalInfo/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode

### **5.11 OTA\_HotelResModifyRQ**

The OTA\_HotelResModifyRQ is a request message for modifying a reservation. It is used for a full overlay of the reservation. When changing data that requires an availability check, this message assumes the availability is known (if availability is not known an availability check containing the reservation ID may be useful).

### **5.11.1 HAC – Hotel Amenity Code List**

- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/RoomStays/RoomStay/BasicPropertyInfo/HotelAmenity/@Code
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/ResGlobalInfo/BasicPropertyInfo/HotelAmenity/@Code
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BasicPropertyInfo/HotelAmenity/@Code
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BasicPropertyInfo/HotelAmenity/@Code

### **5.11.2 MRC – Meeting Room Code List**

- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/RoomStays/RoomStay/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoomCode
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/ResGlobalInfo/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoomCode
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoomCode
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoomCode

### **5.11.3 OTC – Option Type Code List**

- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/RoomStays/RoomStay/RoomTypes/RoomType/Amenities/Amenity/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/RoomStays/RoomStay/BasicPropertyInfo/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP)

- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/ResGlobalInfo/BasicPropertyInfo/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP)
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/RoomTypes/RoomType/Amenities/Amenity/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BasicPropertyInfo/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP)
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BasicPropertyInfo/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP)

#### **5.11.4 REC – Recreation Service Detail List**

Not referenced in this message.

#### **5.11.5 RMA – Room Amenity Code List**

- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/RoomStays/RoomStay/RoomTypes/RoomType/Amenities/Amenity/@RoomAmenity
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/RoomStays/RoomStay/RoomRates/RoomRate/Rates/Rate/AdditionalCharges/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/RoomStays/RoomStay/RoomRates/RoomRate/Features/Feature/@RoomAmenity
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Services/Service/Price/AdditionalCharges/AdditionalCharge/@RoomAmenityCode

- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/RoomTypes/RoomType/Amenities/Amenity/@RoomAmenity
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/RoomRates/RoomRate/Rates/Rate/AdditionalCharges/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/RoomRates/RoomRate/Features/Feature/@RoomAmenity
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/Services/Service/Price/AdditionalCharges/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity

### **5.11.6 RSI – Restaurant Service Info List**

Not referenced in this message.

### **5.11.7 SEC – Security Feature List**

- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/RoomStays/RoomStay/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/ResGlobalInfo/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode
- OTA\_HotelResModifyRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode

## **5.12 OTA\_HotelResModifyRS**

The OTA\_HotelResModifyRS is the response message for a full overlay modification to a reservation. The response could be as simple as indicating the modification was made or as complex as echoing back all reservation information.

### **5.12.1 HAC – Hotel Amenity Code List**

- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/RoomStays/RoomStay/BasicPropertyInfo/HotelAmenity/@Code
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/ResGlobalInfo/BasicPropertyInfo/HotelAmenity/@Code
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BasicPropertyInfo/HotelAmenity/@Code
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BasicPropertyInfo/HotelAmenity/@Code

### **5.12.2 MRC – Meeting Room Code List**

- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/RoomStays/RoomStay/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoomCode
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/ResGlobalInfo/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoomCode
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoomCode
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoomCode

### **5.12.3 OTC – Option Type Code List**

- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/RoomStays/RoomStay/RoomTypes/RoomType/Amenities/Amenity/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/RoomStays/RoomStay/BasicPropertyInfo/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)

- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/ResGlobalInfo/BasicPropertyInfo/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/RoomTypes/RoomType/Amenities/Amenity/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BasicPropertyInfo/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BookingRules/BookingRule/CheckoutCharge/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BasicPropertyInfo/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)

#### **5.12.4 REC – Recreation Service Detail List**

Not referenced in this message.

#### **5.12.5 RMA – Room Amenity Code List**

- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/RoomStays/RoomStay/RoomTypes/RoomType/Amenities/Amenity/@RoomAmenity
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/RoomStays/RoomStay/RoomRates/RoomRate/Rates/Rate/AdditionalCharges/AdditionalCharge/@RoomAmenityCode

- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/RoomStays/RoomStay/RoomRates/RoomRate/Features/Feature/@RoomAmenity
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Services/Service/Price/AdditionalCharges/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/RoomTypes/RoomType/Amenities/Amenity/@RoomAmenity
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/RoomRates/RoomRate/Rates/Rate/AdditionalCharges/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/RoomRates/RoomRate/Features/Feature/@RoomAmenity
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/Services/Service/Price/AdditionalCharges/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity

### **5.12.6 RSI – Restaurant Service Info List**

Not referenced in this message.

### **5.12.7 SEC – Security Feature List**

- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/RoomStays/RoomStay/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode
- OTA\_HotelResModifyRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode

## 5.13 OTA\_HotelResModifyNotifRQ

The OTA\_HotelResModifyNotifRQ is a notification request message (push message) for reservations that were modified. It is used for a full overlay of the reservation. When changing data that requires an availability check, this message assumes the availability is known (if availability is not known an availability check containing the reservation ID may be useful).

### 5.13.1 HAC – Hotel Amenity Code List

- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/RoomStays/RoomStay/BasicPropertyInfo/HotelAmenity/@Code
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/ResGlobalInfo/BasicPropertyInfo/HotelAmenity/@Code
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BasicPropertyInfo/HotelAmenity/@Code
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BasicPropertyInfo/HotelAmenity/@Code

### 5.13.2 MRC – Meeting Room Code List

- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/RoomStays/RoomStay/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoomCode
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/ResGlobalInfo/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoomCode
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoomCode
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoomCode



### 5.13.3 OTC – Option Type Code List

- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/RoomStays/RoomStay/RoomTypes/RoomType/Amenities/Amenity/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/RoomStays/RoomStay/BasicPropertyInfo/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/ResGlobalInfo/BasicPropertyInfo/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/RoomTypes/RoomType/Amenities/Amenity/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BasicPropertyInfo/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BasicPropertyInfo/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)

### 5.13.4 REC – Recreation Service Detail List

Not referenced in this message.

### **5.13.5 RMA – Room Amenity Code List**

- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/RoomStays/RoomStay/RoomTypes/RoomType/Amenities/Amenity/@RoomAmenity
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/RoomStays/RoomStay/RoomRates/RoomRate/Rates/Rate/AdditionalCharges/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/RoomStays/RoomStay/RoomRates/RoomRate/Features/Feature/@RoomAmenity
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Services/Service/Price/AdditionalCharges/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/RoomTypes/RoomType/Amenities/Amenity/@RoomAmenity
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/RoomRates/RoomRate/Rates/Rate/AdditionalCharges/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/RoomRates/RoomRate/Features/Feature/@RoomAmenity
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/Services/Service/Price/AdditionalCharges/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity

### **5.13.6 RSI – Restaurant Service Info List**

Not referenced in this message.

### **5.13.7 SEC – Security Feature List**

- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/RoomStays/RoomStay/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/ResGlobalInfo/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode

- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode
- OTA\_HotelResModifyNotifRQ/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode

## 5.14 OTA\_HotelResModifyNotifRS

The OTA\_HotelResModifyNotifRS is the response notification message for a full overlay modification to a reservation. The response could be as simple as indicating the modification was made or as complex as echoing back all reservation information.

### 5.14.1 HAC – Hotel Amenity Code List

- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/RoomStays/RoomStay/BasicPropertyInfo/HotelAmenity/@Code
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/ResGlobalInfo/BasicPropertyInfo/HotelAmenity/@Code
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BasicPropertyInfo/HotelAmenity/@Code
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BasicPropertyInfo/HotelAmenity/@Code

### 5.14.2 MRC – Meeting Room Code List

- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/RoomStays/RoomStay/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoomCode
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/ResGlobalInfo/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoomCode

- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoomCode
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BasicPropertyInfo/HotelMeetingFacility/@MeetingRoomCode

### 5.14.3 OTC – Option Type Code List

- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/RoomStays/RoomStay/RoomTypes/RoomType/Amenities/Amenity/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/RoomStays/RoomStay/BasicPropertyInfo/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/ResGlobalInfo/BasicPropertyInfo/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/RoomTypes/RoomType/Amenities/Amenity/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BasicPropertyInfo/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BasicPropertyInfo/RelativePosition/Transportations/Transportation/@ExistsC

ode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)

#### **5.14.4 REC – Recreation Service Detail List**

Not referenced in this message.

#### **5.14.5 RMA – Room Amenity Code List**

- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/RoomStays/RoomStay/RoomType/RomType/Amenities/Amenity/@RoomAmenity
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/RoomStays/RoomStay/RomRate/RomRate/Rates/Rate/AdditionalCharges/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/RoomStays/RomStay/RomRate/RomRate/Features/Feature/@RoomAmenity
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/RoomStays/RomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Services/Service/Price/AdditionalCharges/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RomStay/RomTypes/RomType/Amenities/Amenity/@RoomAmenity
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RomStay/RomRates/RomRate/Rates/Rate/AdditionalCharges/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RomStay/RomRates/RomRate/Features/Feature/@RoomAmenity
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RomStay/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/Services/Service/Price/AdditionalCharges/AdditionalCharge/@RoomAmenityCode
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGuests/ResGuest/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BookingRules/BookingRule/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity

#### **5.14.6 RSI – Restaurant Service Info List**

Not referenced in this message.

### **5.14.7 SEC – Security Feature List**

- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/RoomStays/RoomStay/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/ResGlobalInfo/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/RoomStays/RoomStay/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode
- OTA\_HotelResModifyNotifRS/HotelResModifies/HotelResModify/Verification/CurrentStateReservation/ResGlobalInfo/BasicPropertyInfo/HotelFeature/@SecurityFeatureCode

## **5.15 OTA\_HotelRFP\_MeetingRQ**

The OTA\_HotelRFP\_MeetingRQ message is used to request a block of rooms and/or meeting space for one or many sites.

### **5.15.1 HAC – Hotel Amenity Code List**

- OTA\_HotelRFP\_MeetingRQ/RFP\_RequestSegments/RFP\_RequestSegment/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType

### **5.15.2 MRC – Meeting Room Code List**

- OTA\_HotelRFP\_MeetingRQ/RFP\_RequestSegments/RFP\_RequestSegment/EventBlock/EventDays/EventDay/EventDayFunctions/EventDayFunction/AudioVisualReqs/AudioVisualReq/@Code

### **5.15.3 OTC – Option Type Code List**

- OTA\_HotelRFP\_MeetingRQ/RFP\_RequestSegments/RFP\_RequestSegment/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)

### **5.15.4 REC – Recreation Service Detail List**

Not referenced in this message.

### **5.15.5 RMA – Room Amenity Code List**

- OTA\_HotelRFP\_MeetingRQ/RFP\_RequestSegments/RFP\_RequestSegment/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity

### **5.15.6 RSI – Restaurant Service Info List**

Not referenced in this message.

### **5.15.7 SEC – Security Feature List**

Not referenced in this message.

## **5.16 OTA\_HotelRFP\_MeetingRS**

The OTA\_HotelRFP\_MeetingRS message acknowledges that the OTA\_HotelRFP\_MeetingRQ message was received.

### **5.16.1 HAC – Hotel Amenity Code List**

- OTA\_HotelRFP\_MeetingRS/RFP\_Response/RFP\_ResponseSegments/RFP\_ResponseSegment /Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType

### **5.16.2 MRC – Meeting Room Code List**

Not referenced in this message.

### **5.16.3 OTC – Option Type Code List**

- OTA\_HotelRFP\_MeetingRS/RFP\_Response/RFP\_ResponseSegments/RFP\_ResponseSegment /Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)

### **5.16.4 REC – Recreation Service Detail List**

Not referenced in this message.

### **5.16.5 RMA – Room Amenity Code List**

- OTA\_HotelRFP\_MeetingRS/RFP\_Response/RFP\_ResponseSegments/RFP\_ResponseSegment /Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity

### **5.16.6 RSI – Restaurant Service Info List**

Not referenced in this message.

### **5.16.7 SEC – Security Feature List**

Not referenced in this message.

## **5.17 OTA\_HotelRFP\_MeetingNotifRQ**

The OTA\_HotelRFP\_MeetingNotifRQ sends detailed information as previously requested via an OTA\_HotelRFP\_MeetingRQ or sent unsolicited with updated information regarding an RFP.

### **5.17.1 HAC – Hotel Amenity Code List**

- OTA\_HotelRFP\_MeetingNotifRQ/RFP\_ResponseSegments/RFP\_ResponseSegment/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType

### **5.17.2 MRC – Meeting Room Code List**

Not referenced in this message.

### **5.17.3 OTC – Option Type Code List**

- OTA\_HotelRFP\_MeetingNotifRQ/RFP\_ResponseSegments/RFP\_ResponseSegment/Profiles/ProfileInfo/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)

### **5.17.4 REC – Recreation Service Detail List**

Not referenced in this message.

### **5.17.5 RMA – Room Amenity Code List**

- OTA\_HotelRFP\_MeetingNotifRQ/RFP\_ResponseSegments/RFP\_ResponseSegment/Profiles/Profile/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity

### **5.17.6 RSI – Restaurant Service Info List**

Not referenced in this message.

### **5.17.7 SEC – Security Feature List**

Not referenced in this message.

## **5.18 OTA\_HotelRFP\_TransientRS**

The OTA\_HotelRFP\_TransientRS message is an acknowledgement that the OTA\_HotelRFP\_TransientRQ message was received and/or a full response.

### **5.18.1 HAC – Hotel Amenity Code List**

- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/HotelInfo/Services/Service/@Code
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType

### **5.18.2 MRC – Meeting Room Code List**

- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/HotelInfo/Services/Service/@MeetingRoomCode
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/MeetingRooms/MeetingRoom/Codes/Code/@Code
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/MeetingRooms/MeetingRoom/Codes/Code/@Code

### **5.18.3 OTC – Option Type Code List**

(Please note the OTC code list is referenced extensively throughout the message; included below are those that may be the most relevant for the purposes of this document.)

- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/HotelInfo/RelativePositions/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/HotelInfo/Services/Service/@ExistsCode (for use with HAC)
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/HotelInfo/Services/Service/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/HotelInfo/Services/Service/Features/Feature/@ExistsCode (for use with SEC)

- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/MeetingRooms/MeetingRoom/Codes/Code/@ExistsCode (for use with MRC)
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/MeetingRooms/MeetingRoom/Features/Feature/@ExistsCode (for use with SEC)
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/MeetingRooms/Codes/Code/@ExistsCode (for use with MRC)
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/GuestRooms/GuestRoom/Amenities/Amenity/@ExistsCode (for use with RMA)
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/GuestRooms/GuestRoom/Features/Feature/@ExistsCode (for use with SEC)
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/Restaurants/Restaurant/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/Restaurants/Restaurant/Features/Feature/@ExistsCode (for use with SEC)
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/AreaInfo/RefPoints/RefPoint/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/AreaInfo/Attractions/Attraction/RefPoints/RefPoint/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- HotelDescription/AreaInfo/Recreations/Recreation/@ExistsCode (for use with RST)
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/AreaInfo/Recreations/Recreation/RefPoints/RefPoint/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/AreaInfo/Recreations/Recreation/RefPoints/RefPoint/Transportations/Transportation/@ExistsCode (for use with REC)
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/AreaInfo/OtherHotels/OtherHotel/RefPoints/RefPoint/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)

- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/AccountSpecificInformation/RoomTypes/RoomType/Amenities/Amenity/@ExistsCode (for use with RMA)

#### **5.18.4 REC – Recreation Service Detail List**

- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/AreaInfo/Recreations/Recreation/RecreationDetails/RecreationDetail/@Code

#### **5.18.5 RMA – Room Amenity Code List**

- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/GuestRooms/GuestRoom/Amenities/Amenity/@RoomAmenityCode
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/AccountSpecificInformation/RoomTypes/RoomType/Amenities/Amenity/@RoomAmenity
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/AccountSpecificInformation/RoomTypes/RoomType/RoomRateInfos/RoomRateInfo/Rates/Rate/AdditionalCharges/AdditionalCharge/@RoomAmenityCode

#### **5.18.6 RSI – Restaurant Service Info List**

- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/Restaurants/Restaurant/SrvclInfoCodes/SrvclInfoCode/@Code
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/Restaurants/SrvclInfoCodes/SrvclInfoCode/@Code

#### **5.18.7 SEC – Security Feature List**

- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/HotellInfo/Services/Service/Features/Feature/@SecurityCode
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/MeetingRooms/MeetingRoom/Features/Feature/@SecurityCode
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/GuestRooms/GuestRoom/Features/Feature/@SecurityCode
- OTA\_HotelRFP\_TransientRS/RFP\_TransientDetail/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/Restaurants/Restaurant/Features/Feature/@SecurityCode

### **5.19 OTA\_HotelRFP\_TransientNotifRQ**

The transient RFP supports the buyer to supplier process of negotiating room rates and amenities for a given contract period. The buyer is the corporation negotiating directly with the supplier (for example, hotel chains or individual hotels). The OTA\_HotelRFP\_TransientNotifRQ is sent by the hotelier. The response sends detailed information as previously requested or updated information regarding an RFP.

### **5.19.1 HAC – Hotel Amenity Code List**

- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/HotelInfo/Services/Service/@Code
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/PropertyAmenityPref/@PropertyAmenityType

### **5.19.2 MRC – Meeting Room Code List**

- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/HotelInfo/Services/Service/@MeetingRoomCode
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/MeetingRooms/MeetingRoom/Codes/Code/@Code
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/MeetingRooms/Codes/Code/@Code

### **5.19.3 OTC – Option Type Code List**

(Please note the OTC code list is referenced extensively throughout the message; included below are those that may be the most relevant for the purposes of this document.)

- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/HotelInfo/RelativePositions/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/HotelInfo/Services/Service/@ExistsCode (for use with HAC)
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/HotelInfo/Services/Service/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/HotelInfo/Services/Service/Features/Feature/@ExistsCode (for use with SEC)
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/MeetingRooms/MeetingRoom/Codes/Code/@ExistsCode (for use with MRC)
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/MeetingRooms/MeetingRoom/Features/Feature/@ExistsCode (for use with SEC)
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/MeetingRooms/Codes/Code/@ExistsCode (for use with MRC)
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/GuestRooms/GuestRoom/Amenities/Amenity/@ExistsCode (for use with RMA)
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/GuestRooms/GuestRoom/Features/Feature/@ExistsCode (for use with SEC)
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/Restaurants/Restaurant/RelativePosition/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/Restaurants/Restaurant/Features/Feature/@ExistsCode (for use with SEC)

- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/AreaInfo/RefPoints/RefPoint/Transportations/Transportation/@ExistsCode ((for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/AreaInfo/Attractions/Attraction/RefPoints/RefPoint/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/AreaInfo/Recreations/Recreation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/AreaInfo/Recreations/Recreation/RecreationDetails/RecreationDetail/@ExistsCode (for use with REC)
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/AreaInfo/OtherHotels/OtherHotel/RefPoints/RefPoint/Transportations/Transportation/@ExistsCode (for use with TRP - Transportation Code - this allows for communication of a mode of transportation being temporarily unavailable such as an airport shuttle)
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@ExistsCode (for use with RMA)
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/AccountSpecificInformation/RoomTypes/RoomType/Amenities/Amenity/@ExistsCode (for use with RMA)

#### **5.19.4 REC – Recreation Service Detail List**

- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/AreaInfo/Recreations/Recreation/RecreationDetails/RecreationDetail/@Code

#### **5.19.5 RMA – Room Amenity Code List**

- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/GuestRooms/GuestRoom/Amenities/Amenity/@RoomAmenityCode
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/Viewerships/Viewership/Profiles/Profile/PrefCollections/PrefCollection/HotelPref/RoomAmenityPref/@RoomAmenity
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/AccountSpecificInformation/RoomTypes/RoomType/Amenities/Amenity/@RoomAmenity
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/AccountSpecificInformation/RoomTypes/RoomType/RoomRateInfos/RoomRateInfo/Rates/Rate/AdditionalCharges/AdditionalCharge/@RoomAmenityCode

#### **5.19.6 RSI – Restaurant Service Info List**

- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/Restaurants/Restaurant/SrvclInfoCodes/SrvclInfoCode/@Code
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/Restaurants/SrvclInfoCodes/SrvclInfoCode/@Code

### **5.19.7 SEC – Security Feature List**

- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/HotelInfo/Services/Service/Features/Feature/@SecurityCode
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/MeetingRooms/MeetingRoom/Features/Feature/@SecurityCode
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/GuestRooms/GuestRoom/Features/Feature/@SecurityCode
- OTA\_HotelRFP\_TransientNotifRQ/RFP\_TransientResponses/RFP\_TransientResponse/HotelDescription/FacilityInfo/Restaurants/Restaurant/Features/Feature/@SecurityCode

## 6 Appendices

### 6.1 Glossary of Terms

For the purpose of this document the following terms have been defined as follows:

Term	Definition
AHLA	American Hotel & Lodging Association
CRS	Central Reservation System
HEDNA	Hotel Electronic Distribution Network Association
HTNG	Hospitality Technology Next Generation
OTA	OpenTravel Alliance
PMS	Property Management System
RFI	Request for Information
RFP	Request for Proposal
RQ	Request transaction
RS	Response transaction
X-Path	X-Path is a major element in the XSLT standard. X-Path can be used to navigate through elements and attributes in an XML document.

### 6.2 Implementation Notes

The overall goal is to create predictability and awareness throughout travel distribution messaging. However, adoption of specific codes will vary for each organization depending upon the relevance to each specific organization.